

DETAIL "T" PIPING SUPPORTS



P4100 PG UNISTRUT (slotted) CAN BE GLUED TO BALLAST BLOCKS WITH CONSTRUCTION MASTIC.

USE PIPE CLAMP TO HOLD PIPE SLEEVE ONE SCH 40 SIZE LARGER SUCH THAT SUPPORTED PIPING IS FREE TO MOVE AS IT EXPANDS AND CONTRACTS WITH TEMPERATURE. PIPE SLEEVE CAN BE SCH 40 ABS OR PVC

MAX SPACING ON PIPE SUPPORTS FOR PVC PIPE IS 4' ACCORDING TO PLUMBING CODE.



2 HOLE GALVANIZED PIPE CLAMP CAN BE USED TO HOLD SLIP COLLAR. GLUE SLIP COLLAR AND PIPE CLAMP TO BALLAST WITH CONSTRUCTION MASTIC

NOTE BALLAST HOLDING SOLAR TO FLAT ROOF CAN SERVE DOUBLE DUTY AS PIPE SUPPORT BASE

PROVIDE MEANS TO DRAIN WATER AT EACH CORNER.

HOT SUN INDUSTRIES LTD. Burnaby BC Canada 778-300-1803		PLUMBING	
		ROOF AND WALL PIPING SUPPORTS POWERSTRIP PSG135 SOLAR COLLECTORS	
ECH/SC		NO. DESSIN / DWG NO.	GR/SIZE
DATE	Sept 29, 2012	DWG FB2U-I	
PAR/BY	KEN WRIGHT		
VER/CHK			