

Enerpool v. 2.1.6 - Swimming Pool Simulation
 Simulation File: C:\ENERPOOL\UNCOSEAT.EPL
 Run on: Tue Feb 25 16:09:23 2003

POOL CONFIGURATION:

- Solar Collector
- No Heat Exchanger
- Auxiliary Heater
- Weather file: C:\ENERPOOL\SEAT.TMY
- No Alternate Input File

POOL CHARACTERISTICS:

Pool Volume: 72.8 m3
 Pool Area : 47 m2
 Evaporation Model: RSPEC
 Wind Correction Factor (Pool): 0.14

SOLAR SYSTEM CHARACTERISTICS:

Collector Type: Unglazed
 Total Collector Area: 0.08 m2

SIMULATION SUMMARY

	Passive	Active	Auxiliary	Total	Residual	Average
Mon	Gains	Gains	Heating	Losses	Gains	T Pool
	(GJ)	(GJ)	(GJ)	(GJ)	(GJ)	(C)
Jan	2.94	0.08	0.00	8.66	-5.65	5.98
Feb	4.48	0.11	0.00	4.00	0.59	5.07
Mar	9.68	0.11	0.00	7.77	2.02	6.11
Apr	13.63	0.11	0.00	13.08	0.66	10.30
May	18.05	0.09	24.19	37.21	5.13	20.82
Jun	18.73	0.07	35.54	54.35	-0.00	28.97
Jul	21.94	0.09	31.30	53.33	-0.00	29.04
Aug	18.38	0.08	33.46	51.92	0.00	28.97
Sep	12.07	0.07	19.78	36.28	-4.36	23.68
Oct	6.81	0.10	0.00	8.39	-1.47	11.28
Nov	3.36	0.09	0.00	4.62	-1.17	7.87
Dec	2.09	0.11	0.00	2.98	-0.78	4.47
Tot	132.16	1.13	144.27	282.59	-5.03	15.27

LOSSES SUMMARY

	Evapor.	Convect.	Conduct.	Radiat.	Side	Makeup	Total
Mon	Losses	Losses	Losses	Losses	Losses	Losses	Losses
	(GJ)	(GJ)	(GJ)	(GJ)	(GJ)	(GJ)	(GJ)
Jan	2.96	1.71	-0.33	4.42	0.00	-0.09	8.66
Feb	1.65	-0.46	-0.18	3.10	0.00	-0.10	4.00
Mar	2.65	0.02	-0.13	5.32	0.00	-0.10	7.77
Apr	4.87	1.69	0.02	6.54	0.00	-0.03	13.08
May	16.92	7.12	0.39	12.24	0.00	0.53	37.21
Jun	26.67	11.00	0.61	15.07	0.00	0.99	54.35
Jul	26.50	9.57	0.62	15.65	0.00	1.00	53.33
Aug	26.20	9.10	0.61	15.03	0.00	0.98	51.92
Sep	16.90	6.77	0.40	11.62	0.00	0.58	36.28
Oct	2.82	0.47	0.00	5.11	0.00	-0.01	8.39
Nov	1.72	-0.05	-0.08	3.10	0.00	-0.06	4.62
Dec	0.59	-0.19	-0.19	2.88	0.00	-0.11	2.98
Tot	130.45	46.75	1.74	100.08	0.00	3.57	282.59

SOLAR SUMMARY

	Available	Collected	Piping	Pump	Active
Mon	Energy	Energy	Losses	Gains	Gains
	(GJ)	(GJ)	(GJ)	(GJ)	(GJ)
Jan	0.01	0.01	-0.00	0.07	0.08
Feb	0.01	0.01	-0.01	0.10	0.11
Mar	0.03	0.02	-0.00	0.09	0.11
Apr	0.04	0.03	0.00	0.09	0.11
May	0.05	0.03	0.01	0.08	0.09
Jun	0.05	0.02	0.02	0.07	0.07
Jul	0.06	0.03	0.02	0.08	0.09
Aug	0.05	0.03	0.02	0.07	0.08
Sep	0.04	0.02	0.01	0.06	0.07
Oct	0.02	0.02	0.00	0.08	0.10
Nov	0.01	0.01	-0.00	0.08	0.09
Dec	0.01	0.01	-0.01	0.10	0.11
Tot	0.38	0.22	0.05	0.95	1.13

PRIMARY ENERGY CONSUMPTION SUMMARY

	Time	Time Aux.	Electric.	Primary
Mon	Pump On	Heat On	Energy	Energy

	(h)	(h)	(kWh)	(GJ)
Jan	251.00	0.00	188.25	0.00
Feb	353.00	0.00	264.75	0.00
Mar	323.00	0.00	242.25	0.00
Apr	322.00	0.00	241.50	0.00
May	287.00	112.01	215.25	30.24
Jun	241.00	164.55	180.75	44.43
Jul	283.00	144.90	212.25	39.12
Aug	276.00	154.89	207.00	41.82
Sep	236.00	91.59	177.00	24.73
Oct	304.00	0.00	228.00	0.00
Nov	292.00	0.00	219.00	0.00
Dec	362.00	0.00	271.50	0.00
Tot	3530.00	667.93	2647.50	180.34

SYSTEM PARAMETERS

CONFIGURATION

Pool Configuration

Solar Collector : X
 Heat Exchanger : -
 Auxiliary Heater : X
 Use Alternate Input File : -
 Require Hourly Printout : -
 Perform Economic Analysis : -

Week/Weekend

Use different profiles for week and weekend: -

Swimmable Days

Use Swimmable Days Concept: -
 Perform Comparative Run: -

WEATHER FILE

Weather File Name: C:\ENERPOOL\SEAT.TMY

Format: Watsun TMY

Latitude: 47.45 degrees N

City Name: SEATTLE WA

Time Base: Local Apparent (Solar) Time

SIMULATION DATA

Simulation Parameters:

Start Day of Simulation: January 1 (Julian day 1)

End Day of Simulation: December 31 (Julian day 365)
Number of Days in Simulation: 365
Require Printout of Simulation Parameters: X
Numerical Algorithms
Precision on Temperatures: 0.0001 C
Maximum number of iterations: 100

COLLECTOR TEST DATA

Collector Type: Unglazed
Collector Area: 0.01 m²
Test Flow Rate: 0.144 kg/s
Test Parameters:
A = 0.8104
B = 0.0395 s/m/C
C = 11.295 W/m²/C
D = 3.5746 J/m³/C
E = 0 W/m²

Incidence Angle Modifiers: Profile

Incidence Angle [degree]				
0	10	20	30	40
50	60	70	80	90
Incidence Angle Modifier []				
1	1	1	1	1
1	1	1	1	1

COLLECTOR USE DATA

Number of Collectors in Series: 1
Number of Series Groups in Parallel in a Bank: 8
Number of Banks of Collectors: 1
Collector Orientation
Slope: 20 degree
Azimuth: 0 degree
Controller
Delta T On : 1 C
Delta T Off: 0.5 C
Tmax Pool : 40 C
Pump
Pump Flow Rate: 3 kg/s
Pump Power: 750 W
Fraction of Pump Power Transferred to Fluid: 0.1
Wind Speed Correction Factor: 0.28
Wind Speed Threshold: 0
Collector sits on: Asphalt roof, insulated

PIPES DATA

Lengths

Inlet Pipe Length - Inside : 5 m
- Outside: 2 m
Outlet Pipe Length - Inside : 5 m
- Outside: 2 m
Insulation (per unit pipe length)
Heat Loss Coefficient Inside : 0.08 W/m/C
Heat Loss Coefficient Outside: 0.08 W/m/C
Temperature
Average Indoor/Soil Temperature: 10 C

POOL DESIGN DATA

Pool Type: Outdoor
Water Volume: 72.8 m³
Surface: 47 m²
Mains Water Temperature: 12 C
Fraction of Pool Above Ground: 0
Emissivity of Outside Walls Above Ground: 0.9
Absorptivity of Outside Walls Above Ground: 0.5
Insulation on Sides / Bottom: 5 m².C/W
Temperature Deep in Soil or in Mechanical Room: 10 C
Fraction of Pool Shaded from Sun: 0.25
Wind Speed Correction Factor: 0.14
Pool Model:

POOL USE DATA

Seasonal Use
Start Day of Season: May 15
End Day of Season : September 15
Temperature at Start of Simulation: 20 C

Pool Activity

Daily Spillage/Leakage: 0.1 m³
Hourly Pool Activity (weekday): 0 = none, 1 = moderate, 2 = high

1: 0	7: 0	13: 1	19: 0
2: 0	8: 0	14: 1	20: 0
3: 0	9: 0	15: 1	21: 0
4: 0	10: 0	16: 1	22: 0
5: 0	11: 0	17: 0	23: 0
6: 0	12: 0	18: 0	24: 0

POOL BLANKET DATA

Physical Properties
Short-Wave Absorptivity: 0.225
Short-Wave Transmissivity: 0.7
Long-Wave Emissivity: 0.29
Long-Wave Transmissivity: 0.55
Insulation value: 0.01
Fraction of Pool Area Covered: 0.95

Use

Blanket seasonal use (0=off, 1=on)

Jan: 1	Apr: 1	Jul: 1	Oct: 1
Feb: 1	May: 1	Aug: 1	Nov: 1
Mar: 1	Jun: 1	Sep: 1	Dec: 1

Daily Use = Blanket use, weekdays (0=off, 1=on)

1: 0	7: 0	13: 0	19: 0
2: 0	8: 0	14: 0	20: 0
3: 0	9: 0	15: 0	21: 0
4: 0	10: 0	16: 0	22: 0
5: 0	11: 0	17: 0	23: 0
6: 0	12: 0	18: 0	24: 0

AUXILIARY HEATER DATA

Auxiliary Heater Type: Gas or Oil

Temperature Setpoint: 29 C

Maximum Power (Input): 75000 W

Heater Efficiency: 80 %

Auxiliary heater seasonal use (0=off, 1=on)

Jan: 0	Apr: 0	Jul: 1	Oct: 0
Feb: 0	May: 1	Aug: 1	Nov: 0
Mar: 0	Jun: 1	Sep: 1	Dec: 0

Heater is off outside season of use of pool: X